ELSEVIER

Forest Ecology and Management 184 (2003) 385–386

Forest Ecology and Management

www.elsevier.com/locate/foreco

Contents of *Forest Ecology and Management*, Volume 184

VOLUME 184, ISSUES 1–3 **3 OCTOBER 2003**

Regular articles

Carbon stock estimates for sugi and hinoki forests in Japan
M. Fukuda, T. Iehara and M. Matsumoto (Tsukuba, Japan) 1

Neotropical savanna converted to food cropping and cattle feeding systems: soil carbon and nitrogen changes over 30 years
J.J. San José, R.A. Montes and C. Rocha (Caracas, Venezuela) 17

Temporal patterns of balsam fir sawfly defoliation and growth loss in young balsam fir
K. Parsons, D. Quiring, H. Piene and J. Farrell (Fredericton, NB, Canada) 33

Effect of soil compaction and moisture on incidence of phytophthora root rot on American chestnut (*Castanea dentata*) seedlings
C.C. Rhoades, S.L. Brosi, A.J. Dattilo and P. Vincelli (Lexington, KY, USA) 47

Aboveground productivity of western hemlock and western redcedar mixed-species stands in southern coastal British Columbia
H.Y.H. Chen (South Porcupine, Canada and Vancouver, Canada) and K. Klinka (Vancouver, Canada) 55

Impact of dominant tree dynamics on site index curves
F. Raulier, M.-C. Lambert, D. Pothier and C.-H. Ung (Sainte-Foy, Canada) 65

Variation in woody vegetation among sites with different disturbance histories in the Argentine Chaco
A. Tálamo and S.M. Caziani (Buenos Aires, Argentina) 79

Above-ground biomass accumulation and nitrogen fixation of broom (*Cytisus scoparius* L.) growing with juvenile *Pinus radiata* on a dryland site
M.S. Watt, P.W. Clinton (Christchurch, New Zealand), D. Whitehead (Lincoln, New Zealand), B. Richardson, E.G. Mason and A.C. Leckie (Christchurch, New Zealand) 93

Using the spatial grain of regeneration to select harvestable tree species in subtropical forest
M.J. Lawes (Scottsville, South Africa) and J.A.F. Obiri (Scottsville, South Africa and Gwynedd, UK) 105

Improvement in physical and chemical properties of sodic soil by 3, 6 and 9 years old plantation of *Eucalyptus tereticornis*. Biorejuvenation of sodic soil
A. Mishra, S.D. Sharma (Dehradun, India) and G.H. Khan (Lucknow, India) 115

Modeling daily photosynthesis of nine major tree species in northeast China
S. Jin, X. Zhou and J. Fan (Harbin, P.R. China) 125

Effect of symbiotic associations on growth of host *Coriaria nepalensis* and its facilitative impact on oak and pine seedlings in the Central Himalaya
M. Tiwari, S.P. Singh, A. Tiwari (Nainital, India) and R.C. Sundriyal (Itanagar, India) 141

Economic analysis of near-natural beech stand management in Northern Germany
T. Nord-Larsen (Hørsholm, Denmark), A. Bechsgaard (Viborg, Denmark), M. Holm (Farchau, Germany) and P. Holten-Andersen (Frederiksberg, Denmark) 149

Annual net nitrogen mineralization in a grey alder (*Alnus incana* (L.) moench) plantation on abandoned agricultural land
V. Uri, K. Lõhmus and H. Tullus (Tartu, Estonia) 167

Selecting framework tree species for restoring seasonally dry tropical forests in northern Thailand based on field performance
S. Elliott, P. Navakitbumrung, C. Kuarak, S. Zangkum, V. Anusarnsunthorn (Thailand) and D. Blakesley (Kent, UK) 177

Influence of nursery practices on the genetic structure of beech (*Fagus sylvatica* L.) seedling populations
M. Konnert and W. Ruetz (Teisendorf, Germany) 193

doi:10.1016/S0378-1127(03)00374-8

Fire behavior in maquis fuels in Turkey
E. Bilgili and B. Saglam (Trabzon, Turkey) 201
Regeneration after wildfire in communities dominated by *Pinus pinaster*, an obligate seeder, and in others dominated by *Quercus pyrenaica*, a typical resprouter
L. Calvo, S. Santalla, E. Marcos, L. Valbuena, R. Tárrega and E. Luis (León, Spain) 209
Effects of prescribed fire on vegetation structure and breeding birds in young *Pinus pinaster* stands of northern Portugal
F. Moreira, A. Delgado, S. Ferreira, R. Borralho (Lisbon, Portugal), N. Oliveira, M. Inácio, J.S. Silva (Coimbra, Portugal) and F. Rego (Lisbon, Portugal) 225
Alterations following a fire in a forest community of Alto Rio Xingu
N.M. Ivanauskas (Xavantina, Brazil), R. Monteiro (Rio Claro, Brazil) and R.R. Rodrigues (Piracicaba, Brazil) 239
The influence of logs on the spatial distribution of litter-dwelling invertebrates and forest floor processes in New Zealand forests
A.M. Evans, P.W. Clinton (Christchurch, New Zealand), R.B. Allen (Canterbury, New Zealand) and C.M. Frampton (Christchurch, New Zealand) 251
Plantation expansion possibility and its influence on land-use pattern in the Nelson region, New Zealand
K. Nagashima (Higashihiroshima, Japan), R. Sands, A.G.D. Whyte, E.M. Bilek (Christchurch, New Zealand) and N. Nakagoshi (Higashihiroshima, Japan) 263
Masting behavior of *Fagus crenata* in northern Japan: spatial synchrony and pre-dispersal seed predation
M. Yasaka, K. Terazawa, H. Koyama and H. Kon (Hokkaido, Japan) 277
Oak establishment and canopy accession strategies in five old-growth stands in the central hardwood forest region
J.S. Rentch, M.A. Fajvan and R.R. Hicks Jr. (Morgantown, WV, USA) 285
Wolf reintroduction, predation risk, and cottonwood recovery in Yellowstone National Park
W.J. Ripple and R.L. Beschta (Corvallis, OR, USA) 299
Prescribed burning effects on upland *Quercus* forest structure and function
S.B. Franklin (Memphis, TN, USA), P.A. Robertson and J.S. Fralish (Carbondale, IL, USA) 315
Generating 3D sawlogs with a process-based growth model
A. Mäkelä (Helsinki, Finland) and H. Mäkinen (Vantaa, Finland) 337
Analysis of alternative methods for estimating carbon stock in young tropical plantations
C.J. Losi, T.G. Siccama (New Haven, CT, USA), R. Condit and J.E. Morales (APO, AA, USA) 355
Effects of seed availability, site conditions, and herbivory on pioneer recruitment after logging in Sabah, Malaysia
B.E. Howlett and D.W. Davidson (Salt Lake City, UT, USA) 369

Contents of *Forest Ecology and Management*, Volume 184 385